



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/501,772	04/25/2005	Ulrich Bockelmann	255977US2PCT	8420

22850 7590 07/15/2008
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C.
1940 DUKE STREET
ALEXANDRIA, VA 22314

EXAMINER

CROW, ROBERT THOMAS

ART UNIT	PAPER NUMBER
----------	--------------

1634

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

07/15/2008

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Attachment

A. Applicant argues on page 8 of the Remarks filed 16 June 2008 (hereafter the “Remarks”) that previous claim 18 does not introduce new matter because Figure 1 and pages 5 and 7 of the specification support the amendment.

However, as noted in the previous rejections, Figure 1 and the description thereof show an electrode E for applying a voltage, but neither citation recites fixing a potential using a gate electrode. The specification does, however, teach an electrode is used to set the potential of the measuring solution on page 7, lines 10-20, but does not teach the specific use of a gate electrode.

In addition, Applicant’s own citation of page 7, lines 10-14 of the specification states that “[a]n electrode E (Ag/AgCl, for example) is used to set the potential of the measuring solution 6 (electrolyte) with respect to the silicon structure that it covers and to set the operating point of the sensors (transistors).” Figure 1 clearly shows that the electrode E is external and separate from the source S, drain D and active region 3. Thus, the specification describes a voltage applied by a separate electrode E that is not described as a gate electrode anywhere in the specification.

Therefore, the limitation of fixing a potential of the electrolyte solution which covers said active zones with a “gate electrode” constitutes new matter and the previous rejections under 35 USC 112, First Paragraph are maintained.

B. Applicant’s amendments would have been sufficient to overcome the previous objection to claim 17 and the rejections of claims 1-18 under 35 USC 112,

Art Unit: 1634

Second Paragraph had the amendments been entered. However, because the amendments were not entered, the objection and rejections are maintained.

C. Applicant argues on pages 10-11 of the Remarks that Lindsay et al do not teach the potential of the buffer and the gate is fixed.

However, the limitation that Applicant's argument is based on was found in previous claim 18, which was rejected as obvious over Lindsay et al in view of Kariyone et al in view of Heller et al. Applicant's arguments do not address the teachings of Heller et al, which were relied upon for use of the known technique of using an array-based electrode to fix the potential, which has the added advantage of a requiring a minimized number of structures used in the method as a result of having a single electrode that serves all of the electrodes of the array. This rejection is detailed in Section 18 of the previous Office Action.

Thus, Applicant's arguments refer to the amended claims and rely solely on the amendments. In addition, Applicant's further arguments on pages 11-12 of the Remarks also refer to the amended claims and rely solely on the amendments. Because the after final amendments were not entered, the arguments based on the after final amendments have not been considered.

/Robert T. Crow/
Examiner, Art Unit 1634

/Diana B. Johannsen/
Primary Examiner, Art Unit 1634